

# 4G Embroidery 2017 Cap Price Sheet

318-640-4311

**\*\*Price INCLUDES embroidery on front panel up to 7,000 stitches\*\***

(for designs over 7,000 stitches, please call for quote)

**\*\*Mixing Styles / Colors To Achieve Discount Price Is Allowed\*\***

(must be kept in increments of a dozen)

## price per cap

STYLE	Page	Less Than 12 caps	1 - 3 DOZ.	4 - 7 DOZ	8 - 11 DOZ	12 - 20 DOZ	21+ DOZ
350	14, 114	11.30	9.30	8.53	8.03	7.77	7.53
101I	19	11.00	9.00	8.23	7.73	7.47	7.23
101IS	18	11.10	9.10	8.33	7.83	7.57	7.33
101LP	18	11.30	9.30	8.53	8.03	7.77	7.53
201I	18	11.30	9.30	8.53	8.03	7.77	7.53
201ISP	74,91,114	9.40	7.40	6.63	6.13	5.87	5.63
201LP	19	11.30	9.30	8.53	8.03	7.77	7.53
202IS	27,115	11.95	9.95	9.18	8.68	8.42	8.18
301IS	14,91,113	11.10	9.10	8.33	7.83	7.57	7.33
315M	18,114	11.30	9.30	8.53	8.03	7.77	7.53
350M	23,85	11.30	9.30	8.53	8.03	7.77	7.53
360MMO	21	12.45	10.45	9.68	9.18	8.92	8.68
360MO	21	12.45	10.45	9.68	9.18	8.92	8.68
360MRT	21	12.45	10.45	9.68	9.18	8.92	8.68
3600FC	30, 108	11.95	9.95	9.18	8.68	8.42	8.18
360RG	23, 87	12.45	10.45	9.68	9.18	8.92	8.68
360RT	21	12.45	10.45	9.68	9.18	8.92	8.68
401PC	30, 75	9.48	7.48	6.71	6.21	5.95	5.71
415PC	31, 75	9.48	7.48	6.71	6.21	5.95	5.71
430PC	31, 75	9.70	7.70	6.93	6.43	6.17	5.93
455PC	31, 75	10.25	8.25	7.48	6.98	6.72	6.48
501PC	31, ,75	9.48	7.48	6.71	6.21	5.95	5.71
515PC	32, 75	9.48	7.48	6.71	6.21	5.95	5.71
550IS	27, 115	12.25	10.25	9.48	8.98	8.72	8.48
553IS	27, 115	11.88	9.88	9.11	8.61	8.35	8.11
6 CTF-668	49	11.35	9.35	8.58	8.08	7.82	7.58
AGC-100	94	11.35	9.35	8.58	8.08	7.82	7.58
AMW-100	45, 71, 74	10.45	8.45	7.68	7.18	6.92	6.68
BC-615	44, 71, 108	12.80	10.80	10.03	9.53	9.27	9.03
BCT-600	45, 72	9.15	7.15	6.38	5.88	5.62	5.38
BCT-662	40, 74	9.15	7.15	6.38	5.88	5.62	5.38
BH-500	99	12.55	10.55	9.78	9.28	9.02	8.78
BH-600	100	16.90	14.90	14.13	13.63	13.37	13.13
BH-900	34, 98	12.19	10.19	9.42	8.92	8.66	8.42

STYLE	Page	Less Than 12 caps	1 - 3 DOZ.	4 - 7 DOZ	8 - 11 DOZ	12 - 20 DOZ	21+ DOZ
BLL-100	60, 106	12.30	10.30	9.53	9.03	8.77	8.53
BLZ-615	27, 115	12.20	10.20	9.43	8.93	8.67	8.43
BLZCPV	116	12.85	10.85	10.08	9.58	9.32	9.08
BLZKVST	116	12.65	10.65	9.88	9.38	9.12	8.88
BRB-600	51	11.80	9.80	9.03	8.53	8.27	8.03
BRB-605	25, 51	12.40	10.40	9.63	9.13	8.87	8.63
BSH-350	25, 50	13.95	11.95	11.18	10.68	10.42	10.18
BSH-600	25, 87	14.10	12.10	11.33	10.83	10.57	10.33
BTP-100	46	10.50	8.50	7.73	7.23	6.97	6.73
BTW-100	85	11.70	9.70	8.93	8.43	8.17	7.93
BWT-300	39	13.56	11.56	10.79	10.29	10.03	9.79
C-111	114	12.00	10.00	9.23	8.73	8.47	8.23
CAC-305	26	12.20	10.20	9.43	8.93	8.67	8.43
CAM-315	51	12.60	10.60	9.83	9.33	9.07	8.83
CAMF-668	26, 50	12.25	10.25	9.48	8.98	8.72	8.48
CB-200	100	20.00	18.00	17.23	16.73	16.47	16.23
CB-450	26	11.40	9.40	8.63	8.13	7.87	7.63
CBI-305	24, 51	12.20	10.20	9.43	8.93	8.67	8.43
CBK-100	99	17.00	15.00	14.23	13.73	13.47	13.23
CBRB-150	25, 40, 86	12.45	10.45	9.68	9.18	8.92	8.68
CCS-500	22, 125	11.95	9.95	9.18	8.68	8.42	8.18
CCS-500L	22, 87	11.95	9.95	9.18	8.68	8.42	8.18
CGW-115	15	11.75	9.75	8.98	8.48	8.22	7.98
CGW-115M	23, 85	11.75	9.75	8.98	8.48	8.22	7.98
CGW-175M	17, 112	11.95	9.95	9.18	8.68	8.42	8.18
CGWT-301	18	11.30	9.30	8.53	8.03	7.77	7.53
CGWT-611	87	11.95	9.95	9.18	8.68	8.42	8.18
CGWV-100	26, 80	11.15	9.15	8.38	7.88	7.62	7.38
CH-100	46	10.65	8.65	7.88	7.38	7.12	6.88
CH-101	47, 72	9.49	7.49	6.72	6.22	5.96	5.72
CHAMP2	48	12.50	10.50	9.73	9.23	8.97	8.73
CHS-100	45	10.65	8.65	7.88	7.38	7.12	6.88
CMB-100	56	10.70	8.70	7.93	7.43	7.17	6.93
CMK-405	28, 118	11.80	9.80	9.03	8.53	8.27	8.03
CNM-100M	17, 57 85	11.38	9.38	8.61	8.11	7.85	7.61
CNV-100	20	13.13	11.13	10.36	9.86	9.60	9.36
COR-002	28	12.72	10.72	9.95	9.45	9.19	8.95
CT120M	19, 124	14.25	12.25	11.48	10.98	10.72	10.48
CS-350	99	11.70	9.70	8.93	8.43	8.17	7.93
CSB-100	57, 64	18.00	16.00	15.23	14.73	14.47	14.23
CWF-305	16, 95, 124	12.25	10.25	9.48	8.98	8.72	8.48
CWF-310	16, 96, 124	12.50	10.50	9.73	9.23	8.97	8.73

<b>STYLE</b>	<b>Page</b>	<b>Less Than 12 caps</b>	<b>1 - 3 DOZ.</b>	<b>4 - 7 DOZ</b>	<b>8 - 11 DOZ</b>	<b>12 - 20 DOZ</b>	<b>21+ DOZ</b>
CWF-315	16, 96	12.60	10.60	9.83	9.33	9.07	8.83
CWF-400M	16, 93	12.81	10.81	10.04	9.54	9.28	9.04
DC-610	33, 43	10.63	8.63	7.86	7.36	7.10	6.86
DC-660	33, 38	10.50	8.50	7.73	7.23	6.97	6.73
DMP-200	49	11.90	9.90	9.13	8.63	8.37	8.13
DMP-200M	58	11.90	9.90	9.13	8.63	8.37	8.13
DN-105G	61, 78	10.40	8.40	7.63	7.13	6.87	6.63
DN-200M	60, 106	11.38	9.38	8.61	8.11	7.85	7.61
DNB-100M	61, 106	11.88	9.88	9.11	8.61	8.35	8.11
DUK-111	41, 107	10.75	8.75	7.98	7.48	7.22	6.98
DUK-130	58, 107	10.75	8.75	7.98	7.48	7.22	6.98
DUK-600	50, 107	10.65	8.65	7.88	7.38	7.12	6.88
FB-400	119, 128	11.50	9.50	8.73	8.23	7.97	7.73
FCB-150	28, 118	11.90	9.90	9.13	8.63	8.37	8.13
FFT-100	43	12.32	10.32	9.55	9.05	8.79	8.55
FLAG PATCHES	97	8.90	6.90	6.13	5.63	5.37	5.13
FLG-300M	95	11.65	9.65	8.88	8.38	8.12	7.88
FLG-605	95	11.25	9.25	8.48	7.98	7.72	7.48
FOM-100	62, 77	10.35	8.35	7.58	7.08	6.82	6.58
FWH-650	82, 122	10.75	8.75	7.98	7.48	7.22	6.98
FWT-130	54, 88, 127	10.45	8.45	7.68	7.18	6.92	6.68
FWT-130CB	54	11.20	9.20	8.43	7.93	7.67	7.43
FWT-130L	54, 83	10.45	8.45	7.68	7.18	6.92	6.68
GL-155	61, 73, 78	9.15	7.15	6.38	5.88	5.62	5.38
GL-265	48, 73	9.30	7.30	6.53	6.03	5.77	5.53
GL-270M	62, 72	9.75	7.75	6.98	6.48	6.22	5.98
GL-271	46, 88	9.80	7.80	7.03	6.53	6.27	6.03
GL-415	62, 78	9.60	7.60	6.83	6.33	6.07	5.83
GL-455	77, 90	9.70	7.70	6.93	6.43	6.17	5.93
GL-555	73, 77	9.15	7.15	6.38	5.88	5.62	5.38
GL-645	40, 74, 123	9.50	7.50	6.73	6.23	5.97	5.73
GL-651	48	10.15	8.15	7.38	6.88	6.62	6.38
GL-845	47, 72	9.50	7.50	6.73	6.23	5.97	5.73
GWT-101	47	10.70	8.70	7.93	7.43	7.17	6.93
GWT-101M	55	10.55	8.55	7.78	7.28	7.02	6.78
GWT-111	37, 89	10.75	8.75	7.98	7.48	7.22	6.98
GWT-116	37, 73, 123	9.50	7.50	6.73	6.23	5.97	5.73
GWT-333	39	11.75	9.75	8.98	8.48	8.22	7.98
GWTC-200	23, 40	12.30	10.30	9.53	9.03	8.77	8.53
GWTV-100	79	10.55	8.55	7.78	7.28	7.02	6.78
HIB-602	22, 110, 112	19.05	17.05	16.28	15.78	15.52	15.28

<b>STYLE</b>	<b>Page</b>	<b>Less Than 12 caps</b>	<b>1 - 3 DOZ.</b>	<b>4 - 7 DOZ</b>	<b>8 - 11 DOZ</b>	<b>12 - 20 DOZ</b>	<b>21+ DOZ</b>
HIB-631	22, 111	18.75	16.75	15.98	15.48	15.22	14.98
HIB-652	111	18.45	16.45	15.68	15.18	14.92	14.68
HIB-800	111	18.15	16.15	15.38	14.88	14.62	14.38
HIB-836	111	18.15	16.15	15.38	14.88	14.62	14.38
HPC-305	20, 105	12.55	10.55	9.78	9.28	9.02	8.78
HPC-400M	59, 104	13.12	11.12	10.35	9.85	9.59	9.35
HPC-500M	20, 105	11.95	9.95	9.18	8.68	8.42	8.18
HPD-605	41, 104	12.55	10.55	9.78	9.28	9.02	8.78
HPD-610M	59, 105	11.88	9.88	9.11	8.61	8.35	8.11
HPD-700	43, 104	12.81	10.81	10.04	9.54	9.28	9.04
HTR-100	42	14.70	12.70	11.93	11.43	11.17	10.93
JM-123	49, 91	11.20	9.20	8.43	7.93	7.67	7.43
JMV-100	80, 89	10.80	8.80	8.03	7.53	7.27	7.03
KN-275	122	9.35	7.35	6.58	6.08	5.82	5.58
KN-400	109, 121	9.10	7.10	6.33	5.83	5.57	5.33
KN-400BZ	116	10.25	8.25	7.48	6.98	6.72	6.48
KN-550	109, 121	9.85	7.85	7.08	6.58	6.32	6.08
KN-500BZ	116	10.25	8.25	7.48	6.98	6.72	6.48
KNF-100	118	11.50	9.50	8.73	8.23	7.97	7.73
KNF-USA	93, 117	12.45	10.45	9.68	9.18	8.92	8.68
KNR-560	122	11.05	9.05	8.28	7.78	7.52	7.28
KNW-625	120	13.25	11.25	10.48	9.98	9.72	9.48
LD-905	101	15.00	13.00	12.23	11.73	11.47	11.23
LFB-200	28, 81, 116, 122	11.30	9.30	8.53	8.03	7.77	7.53
LFW-200	28, 116, 119	11.30	9.30	8.53	8.03	7.77	7.53
LMB-100	84	12.65	10.65	9.88	9.38	9.12	8.88
MBW-600	33, 55	10.00	8.00	7.23	6.73	6.47	6.23
MBW-800	53	10.80	8.80	8.03	7.53	7.27	7.03
MBW-800CB	53	11.20	9.20	8.43	7.93	7.67	7.43
MBW-800GC	33, 53	11.20	9.20	8.43	7.93	7.67	7.43
MBW-800S	52	11.70	9.70	8.93	8.43	8.17	7.93
MWB-100	35, 120	14.50	12.50	11.73	11.23	10.97	10.73
MWS1025D	45, 67	16.25	14.25	13.48	12.98	12.72	12.48
MWS1125	67	14.00	12.00	11.23	10.73	10.47	10.23
MWS1425	34, 67	14.75	12.75	11.98	11.48	11.22	10.98
MWS1425S	35, 65	16.00	14.00	13.23	12.73	12.47	12.23
MWS1465I	34, 65	14.80	12.80	12.03	11.53	11.27	11.03
MWS-350	66	12.25	10.25	9.48	8.98	8.72	8.48
MWS-450	67	12.75	10.75	9.98	9.48	9.22	8.98
MWS-600	66	14.50	12.50	11.73	11.23	10.97	10.73
OFC-100	29, 105	12.55	10.55	9.78	9.28	9.02	8.78

<b>STYLE</b>	<b>Page</b>	<b>Less Than 12 caps</b>	<b>1 - 3 DOZ.</b>	<b>4 - 7 DOZ</b>	<b>8 - 11 DOZ</b>	<b>12 - 20 DOZ</b>	<b>21+ DOZ</b>
OFC-150M	29, 107	11.95	9.95	9.18	8.68	8.42	8.18
OFC-200	29	12.55	10.55	9.78	9.28	9.02	8.78
OFC-FLB	30, 109, 119	11.85	9.85	9.08	8.58	8.32	8.08
OSC-100M	15, 59	12.94	10.94	10.17	9.67	9.41	9.17
PAH-100	39, 103	13.65	11.65	10.88	10.38	10.12	9.88
PAH-100C	32, 103	14.70	12.70	11.93	11.43	11.17	10.93
PCTV-100	79, 90	10.10	8.10	7.33	6.83	6.57	6.33
PDT-750	37	12.81	10.81	10.04	9.54	9.28	9.04
PDT-750M	56	12.95	10.95	10.18	9.68	9.42	9.18
PFB-100	119	13.50	11.50	10.73	10.23	9.97	9.73
PFC-100	12, 64	13.10	11.10	10.33	9.83	9.57	9.33
PFC-150M	13, 60, 64	13.00	11.00	10.23	9.73	9.47	9.23
PFX-120	69	13.25	11.25	10.48	9.98	9.72	9.48
PFX-450	69	14.50	12.50	11.73	11.23	10.97	10.73
PFX-600	70	12.20	10.20	9.43	8.93	8.67	8.43
PFX-700	13, 63	14.05	12.05	11.28	10.78	10.52	10.28
PLS-610	50	12.50	10.50	9.73	9.23	8.97	8.73
PN-100	44, 70	11.90	9.90	9.13	8.63	8.37	8.13
PW-600	13, 81	13.50	11.50	10.73	10.23	9.97	9.73
PWT-100	44, 70	11.38	9.38	8.61	8.11	7.85	7.61
PWT-200M	36	11.56	9.56	8.79	8.29	8.03	7.79
PVR-100	56	12.44	10.44	9.67	9.17	8.91	8.67
RBN-105	84	11.25	9.25	8.48	7.98	7.72	7.48
RBN-605	84	11.30	9.30	8.53	8.03	7.77	7.53
REF-635	108	11.25	9.25	8.48	7.98	7.72	7.48
RGR-100M	56, 76	13.25	11.25	10.48	9.98	9.72	9.48
RGR-101	43	11.80	9.80	9.03	8.53	8.27	8.03
RR-002	100	15.85	13.85	13.08	12.58	12.32	12.08
RSC-305	20	11.85	9.85	9.08	8.58	8.32	8.08
RTC-300	24, 86, 126	12.00	10.00	9.23	8.73	8.47	8.23
RTC-350	24, 86, 126	12.00	10.00	9.23	8.73	8.47	8.23
RTC-350M	24, 60, 86, 126	11.88	9.88	9.11	8.61	8.35	8.11
RV-150	80	15.00	13.00	12.23	11.73	11.47	11.23
SAF-100	112	12.00	10.00	9.23	8.73	8.47	8.23
SAF-201	113	12.75	10.75	9.98	9.48	9.22	8.98
SAF-300M	113	11.70	9.70	8.93	8.43	8.17	7.93
SHB-302	110, 112	18.85	16.85	16.08	15.58	15.32	15.08
SPH-100	82	11.50	9.50	8.73	8.23	7.97	7.73
STW-100	101	19.50	17.50	16.73	16.23	15.97	15.73
STW-100B	101	9.00	7.00	6.23	5.73	5.47	5.23
STW-200L	100	17.45	15.45	14.68	14.18	13.92	13.68

<b>STYLE</b>	<b>Page</b>	<b>Less Than 12 caps</b>	<b>1 - 3 DOZ.</b>	<b>4 - 7 DOZ</b>	<b>8 - 11 DOZ</b>	<b>12 - 20 DOZ</b>	<b>21+ DOZ</b>
SUS-100	17, 92	13.30	11.30	10.53	10.03	9.77	9.53
SWM-600	58	10.90	8.90	8.13	7.63	7.37	7.13
SWM-700D	32, 57	13.88	11.88	11.11	10.61	10.35	10.11
TAC-500	38, 102	11.60	9.60	8.83	8.33	8.07	7.83
TAC-600	32, 104	12.60	10.60	9.83	9.33	9.07	8.83
TGS1925X	69	14.75	12.75	11.98	11.48	11.22	10.98
TGS1930X	68	14.75	12.75	11.98	11.48	11.22	10.98
TGS1995V	80	13.75	11.75	10.98	10.48	10.22	9.98
TM-250	58, 71	13.45	11.45	10.68	10.18	9.92	9.68
TPS-300	39	11.50	9.50	8.73	8.23	7.97	7.73
USA-105	97	10.05	8.05	7.28	6.78	6.52	6.28
USA-350	17, 95	12.40	10.40	9.63	9.13	8.87	8.63
USA-400	94	12.19	10.19	9.42	8.92	8.66	8.42
USA-535	97	11.05	9.05	8.28	7.78	7.52	7.28
USA-800	94	10.90	8.90	8.13	7.63	7.37	7.13
USA-850	95	10.90	8.90	8.13	7.63	7.37	7.13
USA-900M	93	12.44	10.44	9.67	9.17	8.91	8.67
V-100	81, 113	11.15	9.15	8.38	7.88	7.62	7.38
WAV-605M	59	11.55	9.55	8.78	8.28	8.02	7.78
WAX606IS	41, 106, 123	12.50	10.50	9.73	9.23	8.97	8.73
WLS-500	15, 30, 95, 108, 127	12.80	10.80	10.03	9.53	9.27	9.03
XX-600	44	10.60	8.60	7.83	7.33	7.07	6.83